

# POLYSTOPP® Quick Connect System for DN90 PE Applications



T.D. Williamson

Data Sheet

Date: 06.2020

## P-101 Tapping Machine

75.2090.0100.0300.00



Holders/Pilots:  
Top Tap  
75.3090.0222.0090.10  
Bottom Tap  
75.3090.0222.0110.15

Top Tap Cutter  
75.3090.0222.0055.20

Bottom Tap Cutter  
75.3090.0222.0061.20

## POLYSTOPP Quick Connect Plugging Machine

75.0537.0100.0090.50



Sealing Element for  
SDR 11 through SDR 13.5  
71.5537.0234.0090.10

Sealing Element for SDR 17  
71.5537.0234.0090.11

Nose piece for  
SDR 11 through SDR 13.5  
75.5537.0234.0090.15

Nose Piece for SDR 17  
75.5537.0234.0090.20

## POLYSTOPP Quick Connect Universal Valve

75.537.0100.0400.00  
Required



Valve to Fitting Adapter  
75.1537.0214.0090.00



Ground Strap Kit  
08-3405-0010-00  
(Required)



Universal Valve  
Calibration Ring (x2)  
75.1537.0214.0090.00



Plugging Fitting  
72.5537.0100.0090.00





T.D. Williamson

## DN90 POLYSTOPP® Quick Connect System

### Optional Equipment and Accessories

Purchased separately

Bottom Plugger for use  
with Drilling Machine  
75.2090.0234.0100.00



Test Cap  
72.5537.0219.0050.00



Coupon Remover  
75.0530.0100.0110.00



Air Motor  
75.2501.0323.0000.01  
Air motor Socket  
75.2045.0328.0100.00  
Express Coupling  
75.9912.1010.1217.00



Oiler  
75.1060.0217.0002.00



Hose  
75.2501.0211.0000.00



■ Note: Consult your TDW representative for additional fitting options.

### POLYSTOPP Quick Connect PE Completion Machine

(Required)

75.0537.0100.0450.00



# POLYSTOPP<sup>®</sup> Quick Connect System for DN110 PE Applications



T.D. Williamson

## P-101 Tapping Machine

75.2090.0100.0300.00



Holders/Pilots:  
 Top Tap  
 75.3090.0222.0110.10  
 Bottom Tap  
 75.3090.0222.0110.15

Top Tap Cutter  
 75.3090.0222.0071.20

Bottom Tap Cutter  
 75.3090.0222.0061.20

## POLYSTOPP Quick Connect Plugging Machine

75.0537.0100.0200.50



Sealing Element for  
 SDR 11 through SDR 13.5  
 71.5537.0234.0110.10

Sealing Element for SDR 17  
 71.5537.0234.0110.11

Nose piece for  
 SDR 11 through SDR  
 13.5  
 75.5537.0234.0110.15  
 Nose Piece for SDR 17  
 75.5537.0234.0110.16

## POLYSTOPP Quick Connect Universal Valve

75.537.0100.0400.00  
Required



Valve to Fitting Adapter  
 75.1537.0214.0110.00



Ground Strap Kit  
 08-3405-0010-00  
 (Required)



Universal Valve  
 Calibration Ring (x2)  
 75.1537.0214.0110.00



Plugging Fitting  
 72.5537.0100.0110.00

Branching Fitting  
 72.5537.0100.0110.10





T.D. Williamson

## DN110 POLYSTOPP® Quick Connect System

### Optional Equipment and Accessories

Purchased separately

Bottom Plugger for use  
with Drilling Machine  
75.2090.0234.0100.00



Test Cap  
72.5537.0219.0110.00



Coupon Remover  
75.0530.0100.0110.00



Air Motor  
75.2501.0323.0000.01  
Air motor Socket  
75.2045.0328.0100.00  
Express Coupling  
75.9912.1010.1217.00



Oiler  
75.1060.0217.0002.00



Hose  
75.2501.0211.0000.00



■ Note: Consult your TDW representative for additional fitting options.

### POLYSTOPP Quick Connect PE Completion Machine

(Required)

75.0537.0100.0450.00



# POLYSTOPP<sup>®</sup> Quick Connect System for DN125 PE Applications



T.D. Williamson

## P-101 Tapping Machine

75.2090.0100.0300.00



Holders/Pilots:  
 Top Tap  
 75.3090.0222.0110.10  
 Bottom Tap  
 75.3090.0222.0110.15

Top Tap Cutter  
 75.3090.0222.0071.20

Bottom Tap Cutter  
 75.3090.0222.0061.20

## POLYSTOPP Quick Connect Plugging Machine

75.0537.0100.0200.50



Sealing Element for  
 SDR 11 through SDR 13.5  
 71.5537.0234.0125.10

Sealing Element for SDR  
 17 71.5537.0234.0125.11

Nose piece for  
 SDR 11 through SDR  
 13.5  
 75.5537.0234.0125.15  
 Nose Piece for SDR 17  
 75.5537.0234.0125.16

## POLYSTOPP Quick Connect Universal Valve

75.537.0100.0400.00  
Required



Valve to Fitting Adapter  
 75.1537.0214.0110.00



Ground Strap Kit  
 08-3405-0010-00  
 (Required)



Universal Valve  
 Calibration Ring (x2)  
 75.1537.0214.0125.00



Plugging Fitting  
 72.5537.0100.0125.00

Branching Fitting  
 72.5537.0100.0125.10





T.D. Williamson

## DN125 POLYSTOPP® Quick Connect System

### Optional Equipment and Accessories

Purchased separately

Bottom Plugger for use  
with Drilling Machine  
75.2090.0234.0100.00



Test Cap  
72.5537.0219.0110.00



Coupon Remover  
75.0530.0100.0110.00



Air Motor  
75.2501.0323.0000.01  
Air motor Socket  
75.2045.0328.0100.00  
Express Coupling  
75.9912.1010.1217.00



Oiler  
75.1060.0217.0002.00



Hose  
75.2501.0211.0000.00



■ Note: Consult your TDW representative for additional fitting options.

### POLYSTOPP Quick Connect PE Completion Machine

(Required)

75.0537.0100.0450.00



# POLYSTOPP<sup>®</sup> Quick Connect System for DN160 PE Applications



T.D. Williamson

## P-101 Tapping Machine

75.2090.0100.0300.00



Holders/Pilots:  
 Top Tap  
 75.3090.0222.0160.10  
 Bottom Tap  
 75.3090.0222.0160.15

Top Tap Cutter  
 75.3090.0222.0090.20

Bottom Tap Cutter  
 75.3090.0222.0080.20

## POLYSTOPP Quick Connect Plugging Machine

75.0537.0100.0200.50



Sealing Element for  
 SDR 11 through SDR 13.5  
 71.5537.0234.0160.10

Sealing Element for SDR  
 17 71.5537.0234.0160.11

Nose piece for  
 SDR 11 through SDR  
 13.5  
 75.5537.0234.0160.15  
 Nose Piece for SDR 17  
 75.5537.0234.0160.16

## POLYSTOPP Quick Connect Universal Valve

75.537.0100.0400.00  
Required



Valve to Fitting Adapter  
 75.1537.0214.0160.00



Ground Strap Kit  
 08-3405-0010-00  
 (Required)



Universal Valve  
 Calibration Ring (x2)  
 75.1537.0214.0160.00



Plugging Fitting  
 72.5537.0100.0160.00

Branching Fitting  
 72.5537.0100.0160.10





T.D. Williamson

# DN160 POLYSTOPP® Quick Connect System

## Optional Equipment and Accessories

Purchased separately

Bottom Plugger for use with Drilling Machine  
75.2090.0234.0200.00



Test Cap  
72.5537.0219.0160.00



Coupon Remover  
75.0530.0100.0160.00



Air Motor  
75.2501.0323.0000.01  
Air motor Socket  
75.2045.0328.0100.00  
Express Coupling  
75.9912.1010.1217.00



Oiler  
75.1060.0217.0002.00



Hose  
75.2501.0211.0000.00



■ Note: Consult your TDW representative for additional fitting options.

## POLYSTOPP Quick Connect PE Completion Machine

(Required)

75.0537.0100.0450.00





# POLYSTOPP<sup>®</sup> Quick Connect System for DN180 PE Applications



T.D. Williamson

## P-101 Tapping Machine

75.2090.0100.0300.00



Holders/Pilots:  
 Top Tap  
 75.3090.0222.0160.10  
 Bottom Tap  
 75.3090.0222.0160.15

Top Tap Cutter  
 75.3090.0222.0093.20

Bottom Tap Cutter  
 75.3090.0222.0080.20

## POLYSTOPP Quick Connect Plugging Machine

75.0537.0100.0200.50



Sealing Element for  
 SDR 11 through SDR 13.5  
 71.5537.0234.0180.10

Sealing Element for SDR  
 17 71.5537.0234.0180.11

Nose piece for  
 SDR 11 through SDR  
 13.5  
 75.5537.0234.0180.15  
 Nose Piece for SDR 17  
 75.5537.0234.0180.16

## POLYSTOPP Quick Connect Universal Valve

75.537.0100.0400.00  
Required



Valve to Fitting Adapter  
 75.1537.0214.0160.00



Ground Strap Kit  
 08-3405-0010-00  
 (Required)



Universal Valve  
 Calibration Ring (x2)  
 75.1537.0214.0180.00



Plugging Fitting  
 72.5537.0100.0180.00

Branching Fitting  
 72.5537.0100.0180.10





T.D. Williamson

## DN180 POLYSTOPP® Quick Connect System

### Optional Equipment and Accessories

Purchased separately

Bottom Plugger for use  
with Drilling Machine  
75.2090.0234.0200.00



Test Cap  
72.5537.0219.0160.00



Coupon Remover  
75.0530.0100.0160.00



Air Motor  
75.2501.0323.0000.01  
Air motor Socket  
75.2045.0328.0100.00  
Express Coupling  
75.9912.1010.1217.00



Oiler  
75.1060.0217.0002.00



Hose  
75.2501.0211.0000.00



■ Note: Consult your TDW representative for additional fitting options.

### POLYSTOPP Quick Connect PE Completion Machine

(Required)

75.0537.0100.0450.00



# POLYSTOPP<sup>®</sup> Quick Connect System for DN225 PE Applications



T.D. Williamson

## P-101 Tapping Machine

75.2090.0100.0300.50



**Holders/Pilots:**  
 Top Tap  
 75.3090.0222.0160.10  
 Bottom Tap  
 75.3090.0222.0160.15

**Top Tap Cutter**  
 75.3090.0222.0099.20

**Bottom Tap Cutter**  
 75.3090.0222.0080.20

## POLYSTOPP Quick Connect Plugging Machine

75.0537.0100.0310.00



**Sealing Element for SDR 11 through SDR 13.5**  
 71.5537.0234.0225.16

**Sealing Element for SDR 17**  
 71.5537.0234.0225.12

**Nose piece for SDR 11 through SDR 13.5**  
 75.5537.0234.0225.11  
**Nose Piece for SDR 17**  
 75.5537.0234.0224.17

## POLYSTOPP Quick Connect Universal Valve

75.537.0100.0400.00  
Required



**Valve to Fitting Adapter**  
 75.1537.0214.0225.00



**Ground Strap Kit**  
 08-3405-0010-00  
 (Required)



**Universal Valve Calibration Ring (x2)**  
 75.1537.0214.0220.00



**Plugging Fitting**  
 72.5537.0100.0225.00

**Branching Fitting**  
 72.5537.0100.0225.10





T.D. Williamson

## DN225 POLYSTOPP® Quick Connect System

### Optional Equipment and Accessories

Purchased separately

Bottom Plugger for use  
with Drilling Machine  
75.2090.0234.0200.00



Test Cap  
72.5537.0219.0160.00



Coupon Remover  
75.0530.0100.0160.00



Air Motor  
75.2501.0323.0000.01  
Air motor Socket  
75.2045.0328.0100.00  
Express Coupling  
75.9912.1010.1217.00



Oiler  
75.1060.0217.0002.00



Hose  
75.2501.0211.0000.00



■ Note: Consult your TDW representative for additional fitting options.

### POLYSTOPP Quick Connect PE Completion Machine

(Required)

75.0537.0100.0450.00



# POLYSTOPP<sup>®</sup> Quick Connect System for DN250 PE Applications



T.D. Williamson

## P-101 Tapping Machine

75.2090.0100.0300.50



Holders/Pilots:  
 Top Tap  
 75.3090.0222.0160.10  
 Bottom Tap  
 75.3090.0222.0160.15

Top Tap Cutter  
 75.3090.0222.0099.20

Bottom Tap Cutter  
 75.3090.0222.0080.20

## POLYSTOPP Quick Connect Plugging Machine

75.0537.0100.0310.00



Sealing Element for SDR 11  
 through SDR 13.5  
 71.5537.0234.0250.16

Sealing Element for SDR  
 17 71.5537.0234.0250.12

Nose piece for  
 SDR 11 through SDR  
 13.5  
 75.5537.0234.0250.11  
 Nose Piece for SDR 17  
 75.5537.0234.0250.17

## POLYSTOPP Quick Connect Universal Valve

75.537.0100.0400.00  
Required



Valve to Fitting  
 Adapter  
 75.1537.0214.0250.00



Ground Strap Kit  
 08-3405-0010-00  
 (Required)



Universal Valve  
 Calibration Ring (x2)  
 75.1537.0214.0220.00



Plugging Fitting  
 72.5537.0100.0250.00

Branching Fitting  
 72.5537.0100.0250.10





T.D. Williamson

# DN250 POLYSTOPP® Quick Connect System

## Optional Equipment and Accessories

Purchased separately

Bottom Plugger for use with Drilling Machine  
75.2090.0234.0200.00



Test Cap  
72.5537.0219.0160.00



Coupon Remover  
75.0530.0100.0160.00



Air Motor  
75.2501.0323.0000.01  
Air motor Socket  
75.2045.0328.0100.00  
Express Coupling  
75.9912.1010.1217.00



Oiler  
75.1060.0217.0002.00



Hose  
75.2501.0211.0000.00



■ Note: Consult your TDW representative for additional fitting options.

## POLYSTOPP Quick Connect PE Completion Machine

(Required)

75.0537.0100.0450.00

