

# POLYSTOPP<sup>®</sup> Quick Connect System for 4-inch PE Branching Only



T.D. Williamson

Data Sheet

Date: 10.2020

## P-101 Tapping Machine

75.2090.0100.0300.00



Holders/Pilots:  
Top Tap 75.3090.0222.0110.10  
Bottom Tap  
75.3090.0222.0110.15

Top Tap Cutter  
75.3090.0222.0071.20

Bottom Tap Cutter  
75.3090.0222.0061.20

■ Note: Tapping procedure can also be performed with P-101XL.

## POLYSTOPP Quick Connect Universal Valve

75.1537.0100.0400.00  
Required



Valve to Fitting Adapter  
75.1537.0214.0110.00



Ground Strap Kit  
08-3405-0010-00  
(Required)



Universal Valve  
Calibration Ring (x2)  
75.1537.0219.0000.02



## POLYSTOPP Quick Connect PE Completion Machine

(Required)

75.0537.0100.0450.00



PE Branching Fitting  
72.5537.0100.0004.10



T.D. Williamson

## 4-inch POLYSTOPP® Quick Connect System

### Optional Equipment and Accessories

Purchased separately

Bottom Plugger for use  
with Drilling Machine  
75.2090.0234.0100.00



Test Cap  
72.5537.0219.0110.00



Coupon Remover  
75.0530.0100.0110.00



Oiler  
75.1060.0217.0002.00



Hose  
75.2501.0211.0000.00



Air Motor  
75.2501.0323.0000.01  
Air motor Socket  
75.2045.0328.0100.00  
Express Coupling  
70.9912.1010.1217.00



■ Note: Consult your TDW representative for additional fitting options.

North & South America: +1 918 447 5000 ■ Europe / Africa / Middle East: +32 67 28 3611 ■ Asia Pacific: +65 6364 8520 ■ [www.tdwilliamson.com](http://www.tdwilliamson.com)

Data subject to change without notice. / Dimensions not for construction unless certified. / © Registered trademark of T.D. Williamson, Inc. in the United States and other countries. / TM Trademark of T.D. Williamson, Inc. in the United States and other countries. / © Copyright 2016 All rights reserved. T.D. Williamson, Inc.

# POLYSTOPP<sup>®</sup> Quick Connect System for 6-inch PE Branching Only



T.D. Williamson

Data Sheet

Date: 10.2020

## P-101 Tapping Machine

75.2090.0100.0300.00



Holders/Pilots:  
Top Tap  
75.3090.0222.0160.10  
Bottom Tap  
75.3090.0222.0160.15

Top Tap Cutter  
75.3090.0222.0093.20

Bottom Tap Cutter  
75.3090.0222.0080.20

■ Note: Tapping procedure can also be performed with P-101XL.

## POLYSTOPP Quick Connect Universal Valve

75.1537.0100.0400.00  
Required



Valve to Fitting Adapter  
75.1537.0214.0160.00



Ground Strap Kit  
08-3405-0010-00  
(Required)



Universal Valve  
Calibration Ring (x2)  
75.1537.0219.0000.03



## POLYSTOPP Quick Connect PE Completion Machine

(Required)

75.0537.0100.0450.00



PE Branching Fitting  
72.5537.0100.0006.10



T.D. Williamson

## 6-inch POLYSTOPP® Quick Connect System

### Optional Equipment and Accessories

Purchased separately

Bottom Plugger for use  
with Drilling Machine  
75.2090.0234.0200.00



Oiler  
75.1060.0217.0002.00



Test Cap  
72.5537.0219.0160.00



Hose  
75.2501.0217.0000.00



Coupon Remover  
75.0530.0100.0160.00



Air Motor  
75.2501.0323.0000.01  
Air motor Socket  
75.2045.0328.0100.00  
Express Coupling  
75.9912.1010.1217.00



■ Note: Consult your TDW representative for additional fitting options.

North & South America: +1 918 447 5000 ■ Europe / Africa / Middle East: +32 67 28 3611 ■ Asia Pacific: +65 6364 8520 ■ [www.tdwilliamson.com](http://www.tdwilliamson.com)

Data subject to change without notice. / Dimensions not for construction unless certified. / © Registered trademark of T.D. Williamson, Inc. in the United States and other countries. / TM Trademark of T.D. Williamson, Inc. in the United States and other countries. / © Copyright 2016 All rights reserved. T.D. Williamson, Inc.

# POLYSTOPP<sup>®</sup> Quick Connect System for 8-inch PE Branching Only



T.D. Williamson

Data Sheet

Date: 10.2020

## P-101XL Tapping Machine

75.2090.0100.0300.50



Holders/Pilots:  
Top Tap  
75.3090.0222.0160.10  
Bottom Tap  
75.3090.0222.0160.15

Top Tap Cutter  
75.3090.0222.0099.20

Bottom Tap Cutter  
75.3090.0222.0080.20

■ Note: Top taps can also be performed with P101.

## POLYSTOPP Quick Connect Universal Valve

75.1537.0100.0400.00  
Required




Valve to Fitting Adapter  
75.1537.0214.0225.00



Ground Strap Kit  
08-3405-0010-00  
(Required)



Universal Valve  
Calibration Ring (x2)  
75.1537.0219.0220.00



## POLYSTOPP Quick Connect PE Completion Machine

(Required)

75.0537.0100.0450.00



PE Branching Fitting  
72.5537.0100.0008.10



T.D. Williamson

## 8-inch POLYSTOPP® Quick Connect System

### Optional Equipment and Accessories

Purchased separately

Bottom Plugger for use  
with Drilling Machine  
75.2090.0234.0200.00



Oiler  
75.1060.0217.0002.00



Test Cap  
72.5537.0219.0160.00



Hose  
75.2501.0211.0000.00



Coupon Remover  
75.0530.0100.0160.00



Air Motor  
75.2501.0323.0000.01  
Air motor Socket  
75.2045.0328.0100.00  
Express Coupling  
75.9912.1010.1217.00



■ Note: Consult your TDW representative for additional fitting options.

North & South America: +1 918 447 5000 ■ Europe / Africa / Middle East: +32 67 28 3611 ■ Asia Pacific: +65 6364 8520 ■ [www.tdwilliamson.com](http://www.tdwilliamson.com)

Data subject to change without notice. / Dimensions not for construction unless certified. / © Registered trademark of T.D. Williamson, Inc. in the United States and other countries. / TM Trademark of T.D. Williamson, Inc. in the United States and other countries. / © Copyright 2016 All rights reserved. T.D. Williamson, Inc.