

Patented in the United States and other countries.

# POLYSTOPP<sup>®</sup> Quick Connect System for 4-inch PE Branching Only



T.D. Williamson

Data Sheet

Date: 04.2023

## P-101 Tapping Machine

75.2090.0100.0300.00



Holders/Pilots:  
75.3090.0222.0110.10

Tapping Cutter  
75.3090.0222.0071.20

## POLYSTOPP Quick Connect Universal Valve

75.1537.0100.0400.00  
Required



Valve to Fitting Adapter  
75.1537.0214.0110.00



Ground Strap Kit  
08-3405-0010-00  
(Required)



Universal Valve  
Calibration Ring (x2)  
75.1537.0219.0000.02



## POLYSTOPP Quick Connect PE Completion Machine

(Required)

75.0537.0100.0450.00



PE Branching Fitting  
72.5537.0100.0004.10

**NOTE:** Tapping procedure can  
also be performed with P-101XL.



North & South America: +1 918 447 5000 ■ Europe / Africa / Middle East: +32 67 28 3611 ■ Asia Pacific: +65 6364 8520 ■ [www.tdwilliamson.com](http://www.tdwilliamson.com)

Data subject to change without notice. / Dimensions not for construction unless certified. / © Registered trademark of T.D. Williamson in the United States and other countries. / TM Trademark of T.D. Williamson in the United States and other countries. / © Copyright 2021 All rights reserved. T.D. Williamson



T.D. Williamson

# 4-inch POLYSTOPP® Quick Connect System

## Optional Equipment and Accessories

Purchased separately

Holder/Pilot - Bottom Out  
75.3090.0222.0110.15



Tapping Cutter - Bottom Out  
75.3090.0222.0061.20



Bottom Out Plugger  
75.2090.0234.0100.00



Fitting Test Cap  
72.5537.0219.0110.00



Oiler  
75.1060.0217.0002.00




Hose  
75.2501.0211.0000.00



Air Motor  
75.2501.0323.0000.00  
Air motor Socket  
75.2090.0328.0000.00  
Express Coupling  
70.9912.1010.1217.00



Coupon Remover  
75.0530.0100.0110.00



- Quick Connect Tapping/Completion Machine Premium Box 75.0537.0207.0100.20
  - Quick Connect Valve Premium Box 75.1537.0207.0100.00
  - Quick Connect 4" / 6" Plugging Machine Premium Box\* 75.0537.0207.0100.10
  - Quick Connect 8" Plugging Machine Premium Box 75.0537.0207.0100.00
- \*Can accommodate two (2) plugging machines

**NOTE:** Consult your TDW representative for additional fitting options.

Patented in the United States and other countries.

# **POLYSTOPP<sup>®</sup> Quick Connect System for 6-inch PE Branching Only**



**T.D. Williamson**

Data Sheet

Date:04.2023

## **P-101 Tapping Machine**

75.2090.0100.0300.00



**Holders/Pilots:**  
75.3090.0222.0160.10

**Tapping Cutter**  
75.3090.0222.0093.20

## **POLYSTOPP Quick Connect Universal Valve**

75.1537.0100.0400.00  
Required



**Valve to Fitting Adapter**  
75.1537.0214.0160.00



**Ground Strap Kit**  
08-3405-0010-00  
(Required)



**Universal Valve  
Calibration Ring (x2)**  
75.1537.0219.0000.03



## **POLYSTOPP Quick Connect PE Completion Machine**

(Required)

75.0537.0100.0450.00



**PE Branching Fitting**  
72.5537.0100.0006.10

**NOTE:** Tapping procedure can also  
be performed with P-101XL.



North & South America: +1 918 447 5000 ■ Europe / Africa / Middle East: +32 67 28 3611 ■ Asia Pacific: +65 6364 8520 ■ [www.tdwilliamson.com](http://www.tdwilliamson.com)

Data subject to change without notice. / Dimensions not for construction unless certified. / © Registered trademark of T.D. Williamson in the United States and other countries. / TM Trademark of T.D. Williamson in the United States and other countries. / © Copyright 2021 All rights reserved. T.D. Williamson



T.D. Williamson

# 6-inch POLYSTOPP® Quick Connect System

## Optional Equipment and Accessories

Purchased separately

Holder/Pilot - Bottom Out  
75.3090.0222.0160.15



Tapping Cutter - Bottom Out  
75.3090.0222.0080.20



Bottom Out Pluggger  
75.2090.0234.0200.00



Fitting Test Cap  
72.5537.0219.0160.00



Oiler  
75.1060.0217.0002.00





Hose  
75.2501.0217.0000.00



Air Motor  
75.2501.0323.0000.00  
Air motor Socket  
75.2090.0328.0000.00  
Express Coupling  
70.9912.1010.1217.00



Coupon Remover  
75.0530.0100.0160.00



- Quick Connect Tapping/Completion Machine Premium Box 75.0537.0207.0100.20
- Quick Connect Valve Premium Box 75.1537.0207.0100.00
- Quick Connect 4"/6" Plugging Machine Premium Box\* 75.0537.0207.0100.10
- Quick Connect 8" Plugging Machine Premium Box 75.0537.0207.0100.00

\*Can accommodate two (2) plugging machines

**NOTE:** Consult your TDW representative for additional fitting options.

# POLYSTOPP<sup>®</sup> Quick Connect System for 8-inch PE Branching Only



T.D. Williamson

Data Sheet

Date: 04.2023

## P-101XL Tapping Machine

75.2090.0100.0300.50



Holders/Pilots:  
75.3090.0222.0160.10

Tapping Cutter  
75.3090.0222.0099.20

**NOTE:** Top taps can also be performed with P101.

## POLYSTOPP Quick Connect Universal Valve

75.1537.0100.0400.00  
Required



Valve to Fitting Adapter  
75.1537.0214.0008.00




Ground Strap Kit  
08-3405-0010-00  
(Required)



Universal Valve  
Calibration Ring (x2)  
75.1537.0219.0220.00



Clamp  
75.1537.0225.0225.00



## POLYSTOPP Quick Connect PE Completion Machine

(Required)

75.0537.0100.0450.00



PE Branching Fitting  
72.5537.0100.0008.10



T.D. Williamson

# 8-inch POLYSTOPP® Quick Connect System

## Optional Equipment and Accessories

Purchased separately

Holder/Pilot - Bottom Out  
75.3090.0222.0160.15



Tapping Cutter - Bottom Out  
75.3090.0222.0080.20



Bottom Out Plugger  
75.2090.0234.0200.00\*  
\*Use only with P-101 XL



Fitting Test Cap  
72.5537.0219.0160.00



Oiler  
75.1060.0217.0002.00





Hose  
75.2501.0211.0000.00



Air Motor  
75.2501.0323.0000.00  
Air motor Socket  
75.2090.0328.0000.00  
Express Coupling  
70.9912.1010.1217.00



Coupon Remover  
75.0530.0100.0160.00



Quick Connect Tapping/Completion Machine Premium Box	75.0537.0207.0100.20
Quick Connect Valve Premium Box	75.1537.0207.0100.00
Quick Connect 4"/6" Plugging Machine Premium Box*	75.0537.0207.0100.10
Quick Connect 8" Plugging Machine Premium Box	75.0537.0207.0100.00

\*Can accommodate two (2) plugging machines

**NOTE:** Consult your TDW representative for additional fitting options.